

ویژه نامه مجله ایرانی اخلاق و تاریخ پزشکی ایران، سال ۱۴۰۳ یازدهمین کنگره سالیانه اخلاق و پزشکی ایران و هشتمین کنگره اخلاق پرستاری ایران



ارائه پوستر

مدافعان بی دفاع:

عوامل مرتبط با تعارض اخلاقی در بستر مراقبت پرستاری

ابراهیم فلاحی^۱، موسی علوی^۲، محسن شهریاری^{۳*}

چکیده

اگرچه تعارض اخلاقی، مسأله‌ای درونی و فردی است، به شدت از عوامل و متغیرهای محیطی اثر می‌پذیرد. این مفهوم موقعیتی را توصیف می‌کند که در آن، تفاوت و تناقض ارزش‌های اخلاقی بین خود مراقبت‌کنندگان یا بین مراقبت‌کنندگان و بیماران به وجود می‌آید؛ تفاوت و تناقض‌هایی درباره‌ی اینکه چه اقدامی از نظر اخلاقی درست است یا به‌عنوان موقعیتی با وظایف و تعهدات نامشخص، تعریف شده است؛ لذا، پژوهش حاضر با هدف تبیین عوامل مرتبط با تعارض اخلاقی در بستر پرستاری انجام شد. این مطالعه‌ی کیفی با استفاده از روش تحلیل محتوای مرسوم انجام شد. بیست‌وهفت پرستار شاغل در بخش‌های مختلف بالینی از جمله اورژانس، مراقبت‌های ویژه، داخلی و جراحی، شرکت‌کنندگان در این مرحله بودند. داده‌ها پس از اخذ رضایت‌نامه‌ی آگاهانه‌ی کتبی، از طریق مصاحبه‌های فردی نیمه‌ساختاریافته‌ی عمیق به دست آمد. تحلیل داده‌ها با استفاده از نرم‌افزار MAXQDA نسخه‌ی ۲۰ بر اساس رویکرد گرانهایم و لوندمن انجام شد. به‌منظور افزایش صحت و استحکام داده‌ها، از چهار معیار اعتبارپذیری، تأییدپذیری، اعتمادپذیری و انتقال‌پذیری پیشنهادشده‌ی لینکلن و گوبا استفاده شد. اختلال تصمیم‌گیری در بستر مراقبت، یکی از سه طبقه‌ی پدیدارشده در این مطالعه بود. در این باره، عوامل مرتبط با تعارض اخلاقی در بستر مراقبت پرستاری، شامل ارتباط مختل‌شده، بی‌عدالتی درک‌شده، سیستم مدیریتی ناکارآمد، پزشک‌سالاری، تضاد منافع، نابسامانی قانونی، جو اخلاقی منفی و منابع ناکافی شناسایی شدند. پرستاران به‌عنوان مدافعان اصلی بیماران، همواره در این مسیر در معرض انواع تعارضات اخلاقی قرار دارند. نتایج این مطالعه می‌تواند اختلالات تصمیم‌گیری در بستر مراقبت را، به‌عنوان مسأله و مشکلی حائز اهمیت برای سیاست‌گذاران سیستم سلامت مطرح کند؛ کاهش این تعارض‌ها می‌تواند باعث ارتقاء کیفیت مراقبت‌های پرستاری شود.

واژگان کلیدی: پرستاری، تعارض اخلاقی، مطالعه کیفی.

تاریخ انتشار: ۱۴۰۳/۱۲/۱۱

۱. دانشجوی دکتری، مرکز تحقیقات مراقبت‌های پرستاری و مامایی، گروه سلامت بزرگسالان، دانشکده پرستاری و مامایی، دانشگاه علوم پزشکی اصفهان، اصفهان، ایران.
۲. استاد، مرکز تحقیقات مراقبت‌های پرستاری و مامایی، دانشکده پرستاری و مامایی، دانشگاه علوم پزشکی اصفهان، اصفهان، ایران.
۳. استاد، مرکز تحقیقات مراقبت‌های پرستاری و مامایی، دانشکده پرستاری و مامایی، دانشگاه علوم پزشکی اصفهان، اصفهان، ایران.

نویسنده مسئول:

Email: shahriari@nm.mui.ac.ir

کنگره سالیانه
اخلاق پزشکی و پرستاری ایران

Iranian Journal of Medical Ethics and History of Medicine, 2025, Vol. 17, Supplement 11th Annual Iranian Congress of Medical Ethics and 8th Nursing Ethics Congress



Poster Presentation

Defenders without a Defense:

Factors Associated with Ethical Conflict in the Context of Nursing Care

Ebrahim Falahati¹, Mousa Alavi², Mohsen Shahriari*³

Published: 01 March 2025

1. PhD candidate of nursing, Student Research Committee, School of Nursing and Midwifery, Isfahan University of Medical Sciences, Isfahan, Iran.

2. Nursing and Midwifery Care Research Center, School of Nursing and Midwifery, Isfahan University of Medical Sciences, Isfahan, Iran.

3. Nursing and Midwifery Care Research Center, School of Nursing and Midwifery, Isfahan University of Medical Sciences, Isfahan, Iran.

*Corresponding Author

Email: shahriari@nm.mui.ac.ir

Abstract

While ethical conflict is an internal and individual experience, it is significantly influenced by environmental factors and variables. It describes a situation characterized by a discrepancy or conflict between the ethical values of caregivers, between caregivers and patients, or within the individual caregiver regarding the morally right course of action, often leading to ambiguity regarding duties and obligations. This research aimed to elucidate the factors associated with ethical conflict within the nursing context. This qualitative study employed conventional content analysis. Participants included 27 nurses working in various clinical departments, including emergency, intensive care, internal medicine, and surgery. Data were collected through in-depth semi-structured individual interviews conducted after obtaining written informed consent. Data analysis was performed using MAXQDA version 20 software, adhering to Granheim and Lundman's approach. To enhance the rigor of the study, the criteria of credibility, confirmability, dependability, and transferability proposed by Lincoln and Guba were applied. Decision-making challenges within the context of care emerged as a central theme. Several factors were identified as contributing to ethical conflict in nursing care, including disrupted relationships, inefficient management systems, physician prioritization, conflicts of interest, legal constraints, a negative ethical climate, and insufficient resources. Nurses, as primary patient advocates, are consistently exposed to various ethical conflicts within their practice. This study highlights the critical importance of addressing decision-making challenges within the context of care for policymakers within the healthcare system. Reducing these conflicts is crucial for improving the quality of nursing care.

Keywords: Ethical conflict, Nursing, Qualitative study.

