

aardalan@gmail.com

(% , ) ( % , ) ( % , ) :  
(% , CI % :% , % , )  
(% )  
% :% , % , ) ( % , CI % :% , % , ) ( % , )  
CI % :% , % , ) ( % , CI % :% , % , ) ( % , CI  
(% , CI % :% , % , ) .(% ,  
:

Alpine-

Himalayan

.( )  
 .( ) « » « »  
 °N - , °E .( ) ( )

IX

V

VIII

.( )  
 .( )  
 ( % )

.( )

.( )

.( )

( )

.( )

( % ) ( % )  
 ( % ) ( )

.( )

(  
 (

)

(

.( B )

-D ) .( C )

.(

(Geographic-based sampling) «

« »

svy STATA.8

Complex

%

( )

« »

.( A )

, ± ,

(% , )

(% , )

(% , )

CI % : , % , ) ( % , )  
 ( % , CI % : , % , ) ( % , )  
 ( % , CI % : % , ) ( % , )  
 : , % , ) ( % , CI % ) ( % , )  
 ( % , CI % : , % , ) CI % : , % , )  
 ( % , CI % : , % , ) : ( % , )  
 CI % : , % , ) ( % ) ( % )  
 ( % , CI % : , % , ) ( % ) ( % )  
 ( % , CI % : , % , ) ( % )

( % , ) :  
 ( % , ) ( % , )  
 ( % , ) ( % , )  
 ( % , )

CI % : , % , ) ( % , )  
 : ( % , CI % : , % , )

CI % : , % , ) ( % , )  
 : , % , ) ( % , CI % )

( % , CI % : , % , )  
 ( :  
 CI % : , % , ) ( % , )  
 ( ) ( % , CI % : , % , )

( )

( )

( )

■

■

■

■

■

( )

(Post Traumatic Stress Disorder, PTSD)  
%

(Outreach approach)

Relief

( )



■

■

■

■

■

■

■

»

«

/

/





*l...*

---



*l...*

---



*l...*

---



*l...*

---





*l...*

---









1...

:


% (CI 95%)	n	% (CI 95%)	n
1 (1 - 1)		1 (1 - 1)	
1 (1 - 1)		1 (1 - 1)	
1 (1 - 1)		1 (1 - 1)	
1 (1 - 1)		1 (1 - 1)	
1 (1 - 1)		1 (1 - 1)	
1 (- 1)		1 (1 - 1)	
1 (- 1)		1 (1 - 1)	
		1 (1 - 1)	



:



:



:

## References

- 1- International Institute of Earthquake Engineering and Seismology of Iran (IEES) (2004). Available: <http://www.iiees.ac.ir>. Accessed 10 February 2004.
- 2- U.S. Geological Survey (USGS) (2004). Earthquake Hazard Programs: Significant earthquake in Iran. Available: [http://neic.usgs.gov/neis/world/iran/sig\\_eq.html](http://neic.usgs.gov/neis/world/iran/sig_eq.html). Accessed: 1 November 2004.
- 3- Statistical Center of Iran (SCI) (2004). The report of survey on locations and households of Bam earthquake-stricken area, Jan 2004. Statistical Center of Iran Pub. 10-19.
- 4- Gafari-Ashtiani M (2004). Bam earthquake of 05:26:26 of 26 December 2003, Ms6.5. Journal of Seismology and Earthquake Engineering: Special issue on Bam earthquake. 5(4). Available: <http://www.iiees.ac.ir/English/Publication/jsee/Editorial%20Summary.pdf>. Accessed: 1 November 2004.
- 5- UN Flash Appeal, Bam Earthquake of 26 December 2003. Islamic Republic of Iran. Relief, Recover and Immediate Rehabilitation. Available: <http://www.emro.who.int/eha/UN-Flash-Appeal>. Accessed: 20 January 2004.

- 6- Daley WR, Karpati A, Sheik M (2001). Needs Assessment of the Displaced Population Following the August 1999 Earthquake in Turkey. *Disasters*. 25(1): 67-75.
- 7- World Health Organization (WHO) (2003). Situation Report 27 Dec 2003. Available: [www.who.int/disasters/repo/11635.pdf](http://www.who.int/disasters/repo/11635.pdf). Accessed: 20 January 2004.
- 8- Iranian Red Crescent Society (IRCS) (2004). 9000 tons relief items to Bam. 21 Jan 2004. Available: <http://www.reliefweb.int/w/rwb.nsf/c7ca0eaf6c79faae852567af003c69ca/144bbcc4021183dcc1256e27003f6774?OpenDocument>. Accessed: 1 November 2004.
- 9- Noji EK (1994). Progress in disaster management. *Lancet* 343(8908):1239-40.
- 10- Akbari ME, Farshad AA, Asadi-Lari M (2004). The devastation of Bam: an overview of health issues 1 month after the earthquake. *Public Health*. 118(6):403-8.
- 11- Moszynski P (2004). Cold is the main health threat after the Bam earthquake. *BMJ*. 328(7431):66.
- 12- Alexander D (1996). The health effects of earthquake in the Mid-1990s. *Disasters*. 20(3): 231-47.
- 13- Noji EK (1997). *The public health consequences of disaster*. Oxford University Press, New York, NY.
- 14- Malilay J, Flanders WD, Brogan D (1996). A modified cluster-sampling method for post-disaster rapid assessment of needs. *Bull World Health Organ*. 74(4):399-405.
- 15- [Hlady WG, Quenemoen LE, Armenia-Cope RR, Hurt KJ, Malilay J, Noji EK, Wurm G](#) (1994). Use of a Modified Cluster Sampling Method to Perform Rapid Needs Assessment after Hurricane Andrew. *Annals of Emergency Medicine*. 23(4):719-25.
- 16- Centers for Disease Control and Prevention (CDC) (1999). Needs assessment following hurricane Georges-Dominican Republic, 1998. *MMWR Morb Mortal Wkly Rep*. 48(5):93-5.
- 17- Centers for Disease Control and Prevention (CDC) (2004). Rapid Assessment of the Needs and Health Status of Older Adults after Hurricane Charley-Charlotte, DeSoto, and Hardee Counties, Florida, August 27-31, 2004. *MMWR Morb Mortal Wkly Rep*. 53(36):837-40.
- 18- Drysdale S, Powell V, Howarth John, Healing T (2000). The use of cluster sampling to determine aid needs in Grozny, Chechnya in 1995. *Disasters*. 24(3):217-27.



