

amin\_phg@yahoo.com

EM

EM

EM

EM

( , , )

EM

( )

EM

...

(

)E

( ) M

.( , )

EM

: EM

EM

EM

EM

. ( )

(E)

EM

(M)

. ( )

(

(

 $y_1, y_2, \dots, y_n$  $x$ 

$$\log \text{it}(E[Y_i | x_i]) = x_i^T \beta \quad ( )$$

$$f(Y|X, \beta)$$

( )

ML

 $x$ 

( )

EM

 $X$  $Y$ 

. ( )

$$f(Y, X | \Omega) = f(Y|X, \beta) f(X | \gamma) \quad ( )$$

$$\Omega = (\beta, \gamma)$$

$$f(X; Y)$$

$$\beta$$

$$\beta$$

$$\beta$$

$$x$$

$$x$$

$$x$$

$$A$$

$$f(Y, X, A | \Omega^*) = f(Y | X, A, \beta^*) f(X, A | \gamma^*)$$

$$\Omega^* = (\beta^*, \gamma^*)$$

$$E(Y | X, A) = \int f(Y | X, A, \beta) f(\beta) d\beta$$

:( )

$$f(Y, X, A | \theta) = f(A | Y, X, \alpha) f(Y | X, \beta) f(X | \gamma)$$

$$\theta = (\alpha, \beta, \gamma)$$

$$\sum_i l_{a,y,x}(\theta | a_i, y_i, x_i) = \sum_i \{ l_{a|y,x}(\alpha | a_i, y_i, x_i) + l_{y|x}(\beta | y_i, x_i) + l_x(\gamma | x_i) \}$$

$X_i$

$$\prod f(Y_i | X_i, \beta)$$

$$\beta$$

$$\gamma$$

$$\alpha$$

$$\beta$$

$$L_{a,y,x}^0(\theta) = \sum_i \log \sum_{x_{miss}} \{ L_{a|y,x}(\alpha | a_i, y_i, x_i) \times L_{y|x}(\beta | y_i, x_i) L_x(\gamma | x_i) \}$$

$$X = (x_1, x_2, \dots, x_p)$$

$$X_{miss,i}$$

$$\sum_{x_{miss,i}}$$

$$X_{miss,i}$$



$$W_{ij}^{(t)} = P(x^j | a_i, y_i, x_i, \theta^{(t)})$$

$$= \begin{cases} 0 & \text{if } x^j \text{ is not compatible with } x_i \\ \frac{p(y_i | x_i^j) p(a_i | x_i^j, y_i) p(x_i^j)}{\sum_{k \in \text{obs}_i} p(y_i | x_i^k) p(a_i | x_i^k, y_i) p(x_i^k)} & \text{if } x^j \text{ is compatible with } x_i \end{cases} \quad ( )$$

$p$   $X_{obs,i}$   $x^j$   
 $j$

( )  $M$   $\theta$

$\beta$   $\gamma, \alpha$

( )

$\theta$  ( )

( )

EM

s-plus

( )

( ) EM

(.)

EM

EM

EM (.)

( )

( )

$$f(A|X, Y, \alpha), f(X; \delta)$$

(.)

$$f(A|Y, X)$$

(, , )

EM

( )

EM

( , )

:

---

*l...*

---

---

= =  
= =  
= =  
=  
=  
= =  
= =

---

**EM**

---

EM

---

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

---

## References

- 
- 7- Horton. N. J. and Laird. N. M. (2001) Maximum Likelihood Analysis of Logistic Regression Models with Incomplete Covariate Data and Auxiliary Information. *Biometrics* 2001, 57, 34-42.
  - 8- Glynn, R. J. and Laird N. M. Regression Estimates and Missing Data: Complete Case Analysis. Unpublished Manuscript, Department of Biostatistics, Harvard University 1983.
  - 9- Vach, W. Some Issues in Estimating the Effect of Prognostic Factors from Incomplete Covariate Data. *Statistics in Medicine* 1997 16, 57-72.
  - 10- Vach, W. Logistic Regression with Missing Values in the Covariates. Berlin: Springer-Verlag 1994.
  - 11- Louis, T. A. Finding the Observed Information Matrix When Using the EM Algorithm. *Journal of the Royal Statistical Society*, 1982 Series B 44, 226-233.
  - 12- Rubin, D. B. Inference and Missing Data. *Biometrika* 1976 63, 581-592.
  - 13- Saleh A. M. Some Methods for Dealing with Missing Data in Sample Surveys. Invited Papers Proceedings of the 7<sup>th</sup> Iranian Statistical Conference, 2004, 313-324
  - 2- Little, R. J. Biostatistical Analysis with Missing Data. In *the Encyclopedia of Biostatistics*, Armitage, P. A. and Colton, T. , Eds., Wiley, Chichester U. K. , 1998
  - 3- Levy, P. S. and Lemeshow, S. Sampling of Populations Methods and Applications. Third Edition John Wiley and Sons 1999;393-416.
  - 4- Little, R. J. and Rubin, D. B. Statistical Analysis with Missing Data. Newyork: John Wiley and Sons.1987 .
  - 5- Dempster, A. P., Laird, N. M., and Rubin, D. B. Maximum, likelihood from incomplete data via the EM algorithm. *Journal of the Royal Statistical Society*,1977; Series B39: 1-22.
  - 6- Ibrahim, J. G. Incomplete data in generalized linear, models. *Journal of the American Statistical Association*, 1990, 85, 765-769.